

## METAL ENCLOSUR FOR INDUSTRIAL SOCKET

---



### Technical Data



- Texture finish, Powder coated to RAL9003.
- IP30 degree of protection.
- Suitable for flush and surface mounting.
- As per IS 8623.
- Available with Bals (GmbH) make socket.

### Range

- Available for 16 A to 125 A Industrial Socket

### Dimensions

- Standardized considering the dimensions of Bals (GmbH) make Socket.
-







NOTE – 1) MATERIAL USED IS 1.2 mm. THK. C.R.C.A. SHEET.

2) DEGREE OF PROTECTION = IP-30

3) FINISH – POWDER COATED IN RAL-9003

- 1. BOX
- 2. SHIELD
- 3. 16A(1217)/32A(12310)3PIN SOCKET PROVISION
- 4. EARTHING SCREW

|                |  |  |  |             |  |                    |  |           |  |
|----------------|--|--|--|-------------|--|--------------------|--|-----------|--|
| EUROLEC ENERGY |  |  |  | REF:-       |  | TITLE-             |  | DRG.NO.-  |  |
| TRACED:        |  |  |  | DRAWN:      |  | CHECKED:           |  | APPROVED: |  |
| GDB            |  |  |  | SCALE:      |  | P&S 16A /32A 3 PIN |  | EE-006    |  |
| NO             |  |  |  | DATE:       |  | 13.03.14           |  | 13.03.14  |  |
| DATE           |  |  |  | ALTERATIONS |  | DRN CHD.           |  | DATE:     |  |
| 6              |  |  |  | 5           |  | 4                  |  | 3         |  |
| A              |  |  |  | B           |  | C                  |  | D         |  |



1. BOX
2. SHIELD
3. 16A 5PIN SOCKET(12078) PROVISION
4. EARTHING SCREW

NOTE – 1) MATERIAL USED IS 1.2 mm. THK. C.R.C.A. SHEET.

2) DEGREE OF PROTECTION = IP-30

3) FINISH – POWDER COATED IN RAL-9003

EUROLEC ENERGY

|             |  |           |  |                                                                                                                                                                         |
|-------------|--|-----------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TRACED:     |  | REF.:-    |  |   |
| DRAWN:      |  | GDB       |  |                                                                                                                                                                         |
| CHECKED:    |  |           |  |                                                                                                                                                                         |
| APPROVED:   |  |           |  |                                                                                                                                                                         |
| SCALE:      |  | 1 : 2.5   |  | DRG.NO.:-                                                                                                                                                               |
| DATE:       |  | 13.03.14  |  |                                                                                                                                                                         |
| P&S         |  | 16A 5 PIN |  |                                                                                                                                                                         |
|             |  |           |  |                                                                                                                                                                         |
| NO          |  |           |  | EE-007                                                                                                                                                                  |
| DATE        |  |           |  |                                                                                                                                                                         |
| ALTERATIONS |  | DRN CHD.  |  |                                                                                                                                                                         |
|             |  | DATE:     |  |                                                                                                                                                                         |

6


5

4

3


2


1




NOTE :- 1) MATL - 1.2 mm THICK CRCA SHEET.  
 2) DEGREE OF PROTECTION IS IP - 30  
 3) FINISH - POWDER COATING IN RAL-9003

1. BOX
2. SHIELD
3. EARTHING SCREW
4. 32A(1215) 5 PIN SOCKET PROVISION

| EUROLEC ENERGY |          |                                                                                     |        |
|----------------|----------|-------------------------------------------------------------------------------------|--------|
| TRACED:-       | REF:-    |  |        |
| DRAWN:-        | GDB      |                                                                                     |        |
| CHECKED:-      |          |                                                                                     |        |
| APPROVED:-     |          |                                                                                     |        |
| SCALE:         | 1 : 4.5  | P&S 32 AMP 5 PIN                                                                    |        |
| DATE:          | 13.03.14 |                                                                                     |        |
|                |          | DRG.NO:-                                                                            | EE-008 |





NOTE :- 1) MATL - 1.2 mm THICK CRCA SHEET.  
2) DEGREE OF PROTECTION IS IP - 30  
3) FINISH - POWDER COATING IN RAL-9003

1. BOX
2. SHIELD
3. EARTHING SCREW
4. 63A(12380) 5 PIN SOCKET PROVISION

|                |  |                  |       |          |
|----------------|--|------------------|-------|----------|
| EUROLEC ENERGY |  | TRACED:          | REF.- |          |
|                |  | DRAWN:           | GDB   |          |
|                |  | CHECKED:         |       |          |
|                |  | APPROVED:        |       |          |
| SCALE: 1 : 4.5 |  | TITLE-           |       | DRG.NO.- |
| DATE: 13.03.14 |  | P&S 63 AMP 5 PIN |       | EE-009   |